



Mozilla Thunderbird (Windows)

Please prepare for your **mail address** and **mail password** before setting.

These were displayed on the screen when you signed up.

You can find the same information in “Access Information Sheet” that we sent to you.

This manual is based on “Thunderbird Ver.102”.


If you want to change your existing settings, skip to “Step 7”.

Step1. Activate “Thunderbird”.




Step2. “Welcome to Thunderbird” window will open when you activate it for the first time, please skip to Step3.

If the window is not displayed, click “Existing Mail Account” as follows.




Step3. Enter each item and click “Configure manually”.



Name	Value
Your full Name	Your first and last name
Email address	Your mail address
Password	Your mail password * Check “Remember password”


Step4. Enter each item with referring in the following table and click “Re-test”.




Make sure they are the same value.

Name		Value
Incoming	Protocol	POP3
	Hostname	popssl.att.ne.jp
	Port	995
	Connection security	SSL/TLS
	Authentication method	Autodetect
	Username	Your mail address
Outgoing	Hostname	smtssl.att.ne.jp
	Port	465
	Connection security	SSL/TLS
	Authentication method	Autodetect
	Username	Your mail address


Step5. After confirming the message, “The following settings were found by probing the given server.”, click “Done. If you do not see this message, review your settings.



Step6. Click "Finish" to close the window.




- Step7. ① Click your mail account.
② Click “Account Settings”.
※In this manual, the account name is an example.




Step8. Click "server setting", and confirm each item with referring to the following table.

Make a note of the "User Name" (Use in Step 10)



Name	Value
Server Name	popssl.att.ne.jp
User Name	Your mail address
Port	995
Connection security	SSL/TLS
Authentication method	Normal password
Leave message on server	Unchecked

- Step9. ① Click your mail account.
② Correct as needed the “Account name”.(e.g. SpinNet_Mailbox)
③ Confirm “Outgoing server (SMTP)” and Click “Edit SMTP Server”.



Step10. If “User Name” is the same as Step8’ s one, click “Cancel”.
 If you rewrite this item, Click “OK”.
 Setup is now completed.

The screenshot shows the 'SMTP Server' settings window. The 'Settings' section includes:

- Description: SpinNet_SendSetting
- Server Name: smtpssl.att.ne.jp
- Port: 465 (Default: 465)

 The 'Security and Authentication' section includes:

- Connection security: SSL/TLS
- Authentication method: Encrypted password
- User Name: xxx99999@xxx.att.ne.jp (highlighted with a red box)

 A red callout box with the following text is overlaid on the right:

[Notes]
 Confirm whether “User Name” is the same as Step8’ s one.
 If it is different, refer to Step8, and reselect ”Outgoing Server (SMTP) ” or correct “User Name” on this window.

Name	Value
Description	As needed (e.g. SpinNet_SendSetting)
Server Name	smtpssl.att.ne.jp
Port	465
Connection security	SSL/TLS
Authentication method	Encrypted password
User Name	Your mail address